

DTCA35F-11C-G-M58-ALV2

High Performance Industrial Lens

- DTCA series lenses are designed specially for compatibility with large sensor.
- Support newest developments in machine vision field: 24K line scan camera and 150Mp area scan camera.
- Extreme imaging aperture, extraordinary aberration correction, diffraction limited imaging resolution.
- Big aperture, good telecentricity, near zero distortion, big depth for high quality imaging.

Optical Specifications	
Magnification (x)	4.00
Object Field of View (⊕mm)	11
Working Distance (mm)	60
Max Sensor Size (Фmm)	44
Aperture (F/#)	11-32
Telecentricity typical (max) (deg)	0.02
Distortion typical (max) (%)	0.02
Image NA'	0.045-0.015665
Object NA	0.18-0.06266
Depth of Field (mm)	0.06-0.16
Resolution (um)	1.9-5.4
MTF30 (lp/mm)	90-32



Field of View (mm × mm)	
CMV50000(36.43x27.62)	9.1x6.9
KAI29050/2(36.17x24.11)	9.0x6.0
KAI43142(36.18x24.12)	9.0x6.0
Mechanical Specifications	
Mount	M58
Length (mm)	365.4
Coaxial Light	Yes
Iris	Yes

Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.





