

DTCM110-120H-AL

C-mount Bi-telecentric Lens

- Optimized for 1/2.5"~1.1" C-Mount cameras;
- Largest FOV from 26mm upto 300mm;
- Excellent resolution for high pixel cameras;
- Low distortion, good telecentricity, big aperture and big depth of field for high end application.

| Optical Specifications | | |
|------------------------------------|-----------|--|
| Magnification (x) | 0.138 | |
| Object Field of View (Фmm) | 120 | |
| Working Distance (mm) | 273±5 | |
| Max Sensor Size (Фmm) | 16.6(1") | |
| Best Aperture (F/#) | 6.5 | |
| Telecentricity typical (max) (deg) | <0.1 | |
| Distortion typical (max) (%) | <0.1 | |
| MTF30 (lp/mm) | >140 | |
| Depth of Field (mm) | ±33.4@F16 | |
| Length of I/O (mm) | 590±5 | |



| Field of View (mm × mm) | | |
|----------------------------|---------------------|------------|
| 1" PYTHON 5000(12.43x9.83) | | 90.1x71.2 |
| 1" IMX255(14.19x7.51) | | 102.8x54.4 |
| 1" IMX183(13.13x8.76) | | 95.1x63.5 |
| Mechanical Specifications | | |
| Mount | | С |
| Length (mm) | | 299.8 |
| Weight (kg) | | 4.3 |
| Compatible Lighting | | |
| Telecentric LED Lighting | DTCL-120H-xW-y | |
| | Beam Diameter 120mm | |

Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.

