

## DTCM111-64H-AL

## C-mount Bi-telecentric Lens

- Optimized for 1/2.5"~1.1" C-Mount cameras;
- Largest FOV from 26mm upto 300mm;
- Excellent resolution for high pixel cameras;
- Low distortion, good telecentricity, big aperture and big depth of field for high end application.



Optical Specifications	
Magnification (x)	0.288
Object Field of View (Фmm)	64
Working Distance (mm)	158±3
Max Sensor Size (Φmm)	18.4(1.1")
Best Aperture (F/#)	6.2
Telecentricity typical (max) (deg)	<0.1
Distortion typical (max) (%)	<0.1
MTF30 (lp/mm)	>150
Depth of Field (mm)	±7.8@F16
Length of I/O (mm)	377±3

Field of View (mm × mm)		
76)	45.6x30.4	
.38)	49.3x36.0	
Mechanical Specifications		
	С	
	201.7	
	0.9	
Compatible Lighting		
DTCL-64H-xW-y		
Beam Diameter 64Hmm		
	76) 0.38) Specification	

## Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.

