

DTCM35FH-170-AL

Large Format Bi-telecentric Lens

- Optimized for 4/3"~44mm M-mount or other mount cameras;
- FOV from 26mm upto 300mm;
- High resolution, low distortion and homogeneous image quality;
- Full test report for each units are provided;
- · Customized mounts available.



Optical Specifications		
Magnification (x)	0.256	
Object Field of View (Фmm)	170	
Working Distance (mm)	318±5	
Max Sensor Size (Фmm)	44(35mm Full)	
Best Aperture (F/#)	6.0	
Telecentricity typical (max) (deg)	<0.1	
Distortion typical (max) (%)	<0.1	
MTF30 (lp/mm)	>130	
Depth of Field (mm)	±6.7@F11	
Length of I/O (mm)	840±5	

Field of View (mm × mm)		
CMV50000 (36.43x27.62)		142.3x107.9
KAI29050/2 (36.17x24.11)		141.3x94.2
KAI43142 (36.18x24.12)		141.3x94.2
Mechanical Specifications		
Mount		M58
Length (mm)		510.2
Weight (kg)		7.3
Compatible Lighting		
Telecentric LED Lighting	DTCL-170-xW-y	
	Beam Diameter 170mm	

Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.



