

# WWK0275-220-110

## Large FOV Objective Telecentric Lens

- Object side telecentric lens, support 5Mp-20Mp area scan camera.
- High definition, low distortion, good telecentricity, especially suitable for high-precision AOI and positioning applications.
- Built-in coaxial lighting, especially suitable for inspection of wafers, glass devices.
- Quickly customization apply to different camera specifications, as well as magnification, working distance, DOF requirements.



Optical Specifications	
Magnification (x)	0.275
Working Distance (mm)	220±3
Max Sensor Size (Φmm)	16.0(1")
Best Aperture (F/#)	8
Telecentricity typical (max) (deg)	<0.15
Distortion typical (max) (%)	<0.1
MTF30 (lp/mm)	>105
NA	-
Resolution (μm)	-
Depth of Field (mm)	±4.2@F8

Field of View (mm x mm)	
1" PYTHON 5000 (12.43x9.83)	45.2x35.7
1" IMX255 (14.19x7.51)	51.6x27.3
1" IMX183 (13.13x8.76)	47.7x31.9
Mechanical Specifications	
Mount	C
Length (mm)	242.9
Weight (kg)	-
Coaxial Light	No
Iris	No

Notes:

1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
2. Length of I/O = WD + Length + Back Focal Length.

